

## AMENDMENTS TO THE CLAIMS:

The listing of claims will replace all prior versions, and listings, of claims in the application:

## LISTING OF CLAIMS:

1. (Currently amended) A method of transmitting a message from a sender to a recipient through a server displaced from the recipient, including the steps at the server of:

receiving the message at the server from the sender;

generating at the server a digital signature of the message;

generating at the server a file containing, in HTML format, an identity of the sender and instructions describing how to authenticate the message;

~~attaching concealing the digital signature of the message to an HTML in the file at the server, the HTML file also including the identity of the sender in plain text;~~

attaching the ~~HTML~~ file containing the identity of the sender and instructions describing how to authenticate the message and the concealed digital signature to the message at the server;

transmitting from the server to the recipient the message and the attachment;

receiving the message and the attachment at the server from the recipient;

providing digital signatures of the message and the attachment at the server, and

authenticating to the recipient the message and the attachment at the server on the basis of the information received by the recipient from the server and on the basis of the digital signatures provided by the server.

2. (Original) A method as set forth in claim 1 wherein the server creates digital fingerprints from the digital signatures and from the message and the attachment to authenticate the message and the attachment on the basis of the digital fingerprints.

3. (Previously presented) A method as set forth in claim 1 wherein the attachment includes interim stations between the recipient and the server and wherein

the message and the attachment, and the digital signatures of the message and the attachment, are transmitted from the server to the sender to provide for a determination at the server for the sender of the authenticity of the message and the attachment.

4. (Original) A method as set forth in claim 3 wherein the message and the attachment and the digital signatures of the message and the attachment are not retained at the sender when the message and the attachment and the digital signatures are transmitted from the server to the sender.

5. (Original) A method as set forth in claim 1 wherein the message and the attachment and the digital signatures of the message and the attachment are transmitted from the server to the sender.

6. (Original) A method as set forth in claim 5 wherein  
the sender transmits to the server, to authenticate the message, the  
information supplied by the server to the sender and wherein  
the server operates upon the information from the sender to authenticate the  
message.

7. (Original) A method as set forth in claim 5 wherein the message and the digital signature of the message are discarded after the message and the digital signature are transmitted by the server to the sender.

8. (Currently amended) In a method of transmitting a message from a sender to a recipient through a server displaced from the recipient, the steps at the server of:

receiving the message from the sender;

generating at the server a digital signature of the message;

generating at the server an attachment which contains an -in the form of an HTML file including the identity of the sender and instructions on how to authenticate the message in HTML format, and the digital signature of the message;

transmitting the message and the attachment from the server to the recipient;

receiving the message and the attachment at the server from the recipient;

providing digital fingerprints of the message and the digital signature of the message and digital fingerprints of the attachment and the digital signature of the attachment;  
and;

comparing the digital fingerprints at the server to determine the authenticity of the message.

9. (Original) In a method as set forth in claim 8, the steps at the server of:

transmitting to the recipient the state of authenticity of the message on the basis of the results of the comparison of the digital fingerprints.

10. (Currently amended) In a method as set forth in claim 1, the steps at the server of:

receiving at ~~transmitting to~~ the server from the recipient the message and the attachment;

receiving from the sender the message and the attachment and the digital signatures of the message and the attachment;

producing digital fingerprints of the message, the attachment and the digital signatures; and

comparing the digital fingerprints relating to the message, and the digital fingerprints relating to the attachment, to determine the authenticity of the message and the attachment.

11. (Original) In a method as set forth in claim 10, the steps at the server of:

disposing of the message and the attachment and the digital signatures of the message and the attachment after transmitting this information to the sender.

12. (Previously presented) In a method as set forth in claim 5, the steps at the server of:

providing at the server, at the same time as the reception of the message, an attachment including the identity of the sender and the identity and address of the server and the identity and address of the recipient and the time of transmission of the message from the server to the recipient;

transmitting from the server to the recipient the attachment at the same time as the transmission of the message;

receiving from the recipient at the server the message and the attachment;

providing digital fingerprints of the message, the attachment and the digital signatures of the message and the attachment; and

providing an indication of the authentication of the attachment on the basis of a comparison at the server of the digital fingerprints relating to the message and the digital fingerprints relating to the attachment.

13. (Previously presented) In a method as set forth in claim 12, the step at the server of:

transmitting from the server to the recipient an indication of the authenticity of the message on the basis of the comparison of the digital fingerprints relating to the message and the digital fingerprints relating to the attachment.

14. (Currently amended) A method of transmitting a message from a sender to a recipient through a server displaced from the recipient, the steps at the server of:

receiving the message at the server from the sender;

generating a digital signature of the message at the server;

providing at the server, at the same time as the reception of the message at the server, an attachment ~~in form of an HTML file~~ including the identity of the sender and instructions of how to authenticate the message and the identity and address of the recipient and the time of transmission of the message and the digital signature of the message in HTML format;

providing a digital signature of the attachment at the server;

sending the message and the attachment to the recipient;

receiving from the recipient the message and the attachment; and

determining the authenticity of the message and the attachment at the server from the message and the attachment at the server and the digital signatures at the server of the message and the attachment.

15. (Original) A method as set forth in claim 14 wherein

digital fingerprints are provided at the server of the message and the attachment and digital fingerprints are provided at the server of the digital signatures of the message and the attachment and wherein

a comparison is provided at the server of the digital fingerprints of the message and the digital signature of the message, and the attachment and the digital signature of the attachment, to determine the authenticity of the message and the attachment.

16. (Original) A method as set forth in claim 15 wherein

the indications of the state of authenticity of the message and the attachment are transmitted from the server to the recipient and wherein

the message and the attachment and the digital signatures of the message and the attachment are discarded at the server when the indications of the authenticity of the message and the attachment are transmitted from the server to the recipient.

17. (Original) A method as set forth in claim 14 wherein

the message and the attachment and the digital signatures of the message and the attachment are transmitted from the server to the sender and wherein

the server produces digital fingerprints of the message and the attachment and digital fingerprints of the digital signature of the message and the attachment and wherein

the server compares the digital fingerprints relating to the message, and the digital fingerprints relating to the attachment, to determine the authenticity of the message and the attachment.

18. (Original) A method as set forth in claim 17 wherein  
the server transmits to the recipient the results of the comparison and wherein  
the server discards the message and the attachment and the digital signatures of  
the message and the attachment when the server transmits the message and the attachment and  
the digital signature of the message and the attachment to the recipient.
19. (Previously presented) In a method as set forth in claim 1 wherein  
the message is received at the server through an internet and wherein  
the message and the digital signature of the message are transmitted to the  
recipient through the internet.
20. (Original) In a method as set forth in claim 19 wherein  
the state of authenticity of the message is transmitted through the internet to the  
recipient.
21. (Previously presented) In a method as set forth in claim 8 wherein  
the message from the sender is received at the server through an internet and  
wherein  
the message is transmitted to the recipient through the internet.
22. (Original) In a method as set forth in claim 21 wherein  
the state of authenticity of the message is transmitted from the server to the  
recipient through the internet.
23. (Previously presented) In a method as set forth in claim 14 wherein  
the message is transmitted from the sender to the server through an internet and  
wherein  
the message and the attachment are transmitted from the server to the recipient  
through the internet and wherein  
the indication of the state of authenticity of the message and the attachment are  
transmitted from the server to the recipient through the internet.

24. (Currently amended) In a method of transmitting a message from a sender to a recipient through a server displaced from the recipient, the steps at the server of:

receiving ~~the~~ a message including an attachment containing an identity of a sender of the message and instructions on how to authenticate the message in HTML format from the recipient at a web site providing at the server for an indication of the authenticity of the message;

providing at the server a compressed encrypted version of the message where the compression is a particular compression and the encryption is a particular encryption;

decompressing the message in accordance with the particular compression to provide a first digital fingerprint of the message;

decrypting the compressed encrypted version of the message in accordance with the particular encryption to provide a second digital fingerprint of the message; and

comparing the first and second digital fingerprints of the message to determine the authenticity of the message.

25. (Canceled)

26. (Previously presented) In a method as set forth in claim 24, the steps at the server of:

receiving the message through an internet from the recipient; and

transmitting the results of the comparison of the first and second digital fingerprints to the recipient through the internet.

27. (Currently amended) In a method of transmitting a message from a sender to a recipient through a server displaced from the recipient, the steps at the server of:

receiving ~~the~~ a message from the recipient at a website providing in the server for an indication of the authenticity of the message;

providing a compressed encrypted version of the message where the compression is a particular compression and the encryption is a particular encryption;

receiving an attachment separate from the message from the recipient at the website where the reception of the attachment is at the same time as the reception of the message

and the attachment is in the form of an HTML file and contains information about delivery of the message to the recipient and a digital signature of the message and instructions on how to authenticate the message;

providing a compressed encrypted version of the message where the compression is the particular compression and the encryption is the particular encryption;

decompressing the message and the attachment in accordance with the particular compression to provide first digital fingerprints of the message and the attachment;

decrypting the compressed encrypted versions of the message and the attachment in accordance with the particular encryption to provide second digital fingerprints of the message and the attachment; and

comparing the first and second digital fingerprints of the message, and the first and second digital fingerprints of the attachment, to determine the authenticity of the message and of the attachment.

28. (Original) In a method as set forth in claim 27, the step at the server of:

transmitting to the recipient the results of the comparison of the first and second digital fingerprints of the message and the first and second digital fingerprints of the attachment.

29. (Canceled)

30. (Previously presented) In a method as set forth in claim 27, including the steps at the server of:

receiving the message and the attachment through an internet from the recipient;  
and

transmitting the results of the comparison of the first and second digital fingerprints of the message, and the comparison of the first and second digital fingerprints of the attachment, to the recipient through the internet.

31. (Previously presented) In a method as set forth in claim 28, the steps at the server of:



transmitting to the recipient through an internet the results of the comparison of the first and second digital fingerprints of the message and the first and second digital fingerprints of the attachment.

32. (Original) In a method as set forth in claim 27 wherein

the attachment includes the identity of the sender and the identity and the address of the server and the identity and address of the recipient and the time of transmission of the message from the server to the recipient.

33. (Currently amended) In a method of transmitting a message from a sender through a server displaced from the recipient, the steps at the server of:

receiving the message and an attachment in the form of an HTML file that is not part of the message from the recipient at a website providing at the server for an indication of the authenticity of the message, the attachment including an instruction on how to authenticate the message and a digital signature of the message;

providing at the server for a compressed encrypted version of the combination of the message and the attachment where the compression is a particular compression and the encryption is a particular compression;

decompressing the compressed encrypted version of the combination of the message and the attachment in accordance with the particular compression to provide a first digital fingerprint of the combination of the message and the attachment;

decrypting the compressed encrypted version of the combination of the message and the attachment in accordance with the particular encryption to provide a second digital fingerprint of the combination of the message and the attachment; and

comparing the first and second digital fingerprints to determine the authenticity of the message and the attachment.

34. (Original) In a method as set forth in claim 33, the step at the server of:

transmitting to the recipient the results of the comparison of the first and second digital fingerprints.

35. (Previously presented) In a method as set forth in claim 34, the steps at the server of:

receiving the message and the attachment, and the compressed encrypted version of the combination of the message and the attachment, through an internet; and

transmitting the results of the comparison of the first and second digital fingerprints to the recipient through the internet.

36. (Original) In a method as set forth in claim 33 wherein

the attachment includes the identity of the sender and the identity and the address of the server and the identity and address of the recipient and the time of the transmittal of the message to the recipient.

37. (Original) In a method as set forth in claim 35, the steps at the server of:

transmitting to the recipient the results of the comparison of the first and second digital fingerprints and wherein

the attachment includes the identity of the sender and the identity and the address of the server and the identity and address of the recipient and the time of the transmittal from the server to the recipient.

38. (Currently amended) In a method of transmitting a message and an attachment from a sender to a recipient through a server displaced from the recipient, including the steps at the server of:

identifying the sender;

hashing the attachments;

stripping the message of the attachments;

hashing the identification of the sender, the hashed attachments and the message to form a hashed string;

hashing the hashed string;

encrypting the hashed string after the hashing of the hashed string; and

digitally sealing the encrypted hash of the hashed string by attaching the encrypted hash of the hashed string to an HTML file containing instructions on how to authenticate the message and attaching the HTML file including the encrypted hash of the hashed string to the message.

39. (Previously presented) In a method as set forth in claim 38, the steps of:  
transmitting the message and the encrypted hash of the hashed string to the recipient.

40. (Currently amended) In a method of transmitting a message and an attachment from a sender through a server displaced from the recipient, the steps at the server of:  
identifying the sender;  
providing the attachment and the message stripped of the attachment;  
providing a string formed from the identification of the sender, the attachment and the message stripped of the attachment; and  
hashing the string;  
encrypting the hash of the hashed string;  
digitally sealing the encrypted hash of the hashed string by attaching the encrypted hash of the hashed string and instructions on how to authenticate the message to an HTML file; and  
sending to the recipient the message and the HTML file including the encrypted hash of the hashed string.

41. (Canceled)

42. (Canceled)

43. (Previously presented) In a method of authenticating at a recipient a message and an attachment transmitted from a sender to the recipient through a server displaced from the recipient, the steps of:

providing at the recipient a compressed and encrypted string including an identification of the sender, the message, a hash of the attachment and an embedded hash of the string;

decompressing the string;

decrypting the decompressed string;

hashing the string less the embedded hash of the string;

comparing the hash of the string less the embedded hash of the string and the embedded hash; and

using the results of the comparison to indicate to the recipient the authenticity of the message and the attachment.

44. (Previously presented) In a method as set forth in claim 43, the steps of:

separating the attachment from the message;

hashing the separated attachment;

comparing the hashed separated attachment and the hashed attachment in the string; and

using the results of the comparison provided in the previous step to indicate the authenticity of the message and the attachment.

45. (Original) In a method as set forth in claim 44, the step of:
- recovering the message and the attachment and transmitting the recovered message and attachment to the recipient with the indication of their authenticity.
46. (Previously presented) In a method of authenticating at a recipient a message and an attachment transmitted from a sender to the recipient;
- providing an attachment;
- providing at the recipient an encryptment of a string including information relating to the identification of the sender, the attachment and the message stripped of the attachment and a hash of the string;
- decrypting the encrypted string;
- separating the hash of the string from the string;
- forming a hash from the information relating to the identification of the sender, the attachment and the message stripped of the attachment;
- comparing the hash of the string separated from the string and the hash formed from the information in the string; and
- using the results of the comparison to indicate to the recipient the authenticity of the message and the attachment.
47. (Canceled)